

References

- Abbott, M.R. and D.B. Chelton, 1991: Advances in passive remote sensing of the ocean, U.S. National Report to IUGG. *Reviews of Geophysics, Supplement*, 571-583.
- Abbott, M.R., P.J. Richerson, and T.M. Powell, 1982: In situ response of phytoplankton fluorescence to rapid variations in light. *Limn. Oceanog.*, **27**, 218-225.
- Adler, R.F., G.J. Huffman, P.R. Keehn, and A.J. Negri, 1994: Global tropical rain estimates from microwave-adjusted geosynchronous IR data. *Remote Sens. Rev.*, **11**, 125-152.
- American Society of Photogrammetry, 1952: *Manual of Photogrammetry*, 2nd edition, Washington, DC, 876 pp.
- Andreae, M.O., J. Fishman, M. Garstang, J.G. Goldammer, C.O. Justice, *et al.*, 1994: Biomass burning in the global environment. *Global Atmospheric Chemistry, Environmental Science Research*, **48**, Prinn, R.G., Ed., Plenum Press, New York.
- Asrar, G. and J. Dozier, 1994: EOS Science Strategy for the Earth Observing System. American Institute of Physics Press, Woodbury, NY.
- Asrar, G. and R. Greenstone, Eds., 1995: *MTPE/EOS Reference Handbook*, National Aeronautics and Space Administration, Washington, D.C., NP-215, 276 pp.
- Asrar, G., R.B. Myneni, and B.J. Choudhury, 1992: Spatial heterogeneity in vegetation canopies and remote sensing of Absorbed Photosynthetically Active Radiation: a modeling study. *Rem. Sens. Environ.*, **41**, 85-101.
- Atlas, D., D. Rosenfeld, and D.A. Short, 1990: The estimation of convective rainfall by area integrals, Part 1 the theoretical and empirical basis. *J. Geophys. Res.*, **95**, 2153-2160
- Austin, R.W., 1974: Inherent spectral radiance signals of the ocean surface, in *Ocean Color Analysis*, SIO ref. 74-10, Scripps Inst. of Oceanog., La Jolla, CA, 2.1-2.20.
- Avis, L.M., R.N. Green, J.T. Suttles, and S.K. Gupta, 1984: A robust pseudoinverse spectral filter applied to the Earth Radiation Budget Experiment (ERBE) scanning channels. *NASA Tech. Memo. TM-85781*, 33 pp.
- Balch, W.B., R. Evans, G. Feldman, C. McClain, and W. Esaias, 1992: The remote sensing of ocean primary productivity: Use of new data compilation to test satellite algorithms. *J. Geophys. Res.*, **97**(2), 279-293.
- Balch, W.M., P.M. Holligan, S.G. Ackleson and K.J. Voss, 1991: Biological and optical properties of mesoscale coccolithophore blooms in the Gulf of Maine. *Limn. Oceanog.*, **34**, 629-643.
- Barkstrom, B.R., 1984: The Earth Radiation Budget Experiment (ERBE), *Bull. Amer. Meteor. Soc.*, **65**, 1170-1185.
- Barkstrom, B.R. and G.L. Smith, 1986: The Earth radiation budget experiment: Science and implementation. *Rev. Geophysics.*, **24**, 379-390.
- Barnsley, M.J. and J.-P. Muller, 1991: *Measurement, simulation and analysis of directional reflectance properties of Earth surface materials*. ESA SP-319, 375-382.
- Barry, R.G. and A.L. Varani, Eds., 1995: *Earth Observing Science: Highlights 1994*, NSIDC Distributed Active Archive Center, Boulder, CO.
- Barton, I.J., M. Zavody, D.M. O 'Brien, D.R. Cutten, R.W. Saunders and D.T. Llewellyn-Jones, 1989. Theoretical algorithms for satellite-derived sea surface temperatures. *J. Geophys. Res.*, **94**, 3365.

References

- Basist, A., D. Garrett, R. Ferraro, N.C. Grody, and K. Mitchell, 1996: A comparison between visible and microwave snow cover products derived from satellite observations, *J. Appl. Meteor.*, **35**, 163-177.
- Baum, B.A., R.M. Welch, P. Minnis, L.L. Stowe, J.A. Coakley, Jr., *et al.*, 1995a: Imager clear-sky determination and cloud detection (Subsystem 4.1). *Clouds and the Earth's Radiant Energy System (CERES) Algorithm Theoretical Basis Document, Volume III: Cloud Analyses and Radiance Inversions (Subsystem 4)*, NASA RP 1376, **3**, CERES Science Team, Eds., 43-82.
- Baum, B.A., P. Minnis, J.A. Coakley, Jr., B.A. Wielicki, *et al.*, 1995b: Imager cloud height determination (Subsystem 4.2). *Clouds and the Earth's Radiant Energy System (CERES) Algorithm Theoretical Basis Document, Volume III: Cloud Analyses and Radiance Inversions (Subsystem 4)*, NASA RP 1376, **3**, CERES Science Team, Eds., 83-134.
- Baum, B.A., B.A. Wielicki, P. Minnis, and L. Parker, 1992: Cloud property retrieval using merged HIRS and AVHRR data. *J. Appl. Meteor.*, **31** (4), 351-369.
- Becker, F., 1987: The impact of spectral emissivity on the measurement of land surface temperature from a satellite. *Internat. J. Remote Sensing*, **8** (10), 1509-1522.
- Berger, W.H., K. Fischer, C. Lai, and G. Wu, 1987: Ocean productivity and organic carbon flux. 67, *SIO Reference Series No. 87-30*, Scripps Institution of Oceanography.
- Bidigare, R.R., M.E. Ondrusek, J.H. Morrow, D.A. Kiefer, 1990: *In vivo* absorption properties of algal pigments. *SPIE Vol. 1302, Ocean Optics X*, 290-302.
- Birchfield, E.G., H. Wang, and J.J. Rich, 1994: Century/millennium internal climate oscillations in an ocean-atmosphere-continental ice sheet model, *J. Geophys. Res.*, **99**, 12,459.
- Bloom, S.C., L.L. Takacs, A.M. da Silva, and D. Ledvina, 1995: Data assimilation using incremental analysis updates. *Mon Wea Rev.*, submitted.
- Bohme, R., 1993: *Inventory of world topographic mapping*. Elsevier, Permagon Press Inc., New York. The ICA International Cartographic Association, **1-3**, 1070 pp.
- Brasseur, G.P. and R.G. Prinn, 1992: Biogenic and anthropogenic trace gases in the atmosphere. *The Use of EOS for Studies of Atmospheric Physics*, J.C. Gille and G. Visconti, Eds., North Holland, Amsterdam, 45-64.
- Breigleb and Ramanathan, 1982: Spectral and diurnal variations in clear-sky planetary albedo. *J. Climate Appl. Meteor.*, **21**, 1168-1171.
- Brenninkmeijer, C.A.M., M.R. Manning, D.C. Lowe, G. Wallace, R.J. Sparks, and A. Volz-Thomas, 1992: Interhemispheric asymmetry in OH abundance inferred from measurements of atmospheric CO. *Nature*, **356**, 50-52.
- Brest, C.L., and S.N. Goward, 1987: Deriving surface albedo measurements from narrow band satellite data. *Internat. J. Remote Sens.*, **8**, 351-367.
- Brooks, D.R., E.F. Harrison, P. Minnis, J.T. Suttles, and R.S. Kandel, 1986: Development of algorithms for understanding the temporal and spatial variability of the Earth's radiation balance. *Rev. Geophys.*, **24**, 422-438.
- Brown, O.B. and R.E. Chaney, 1983: Advances in satellite oceanography. *Rev. Geophys. and Space Phys.*, **21**(5), 1216-1230.
- Carder, K.L., R.G. Steward, J.H. Paul, and G.A. Vargo, 1986: Relationship between chlorophyll and ocean color constituents as they affect remote-sensing reflectance models. *Limn. Oceanog.*, **31**, 403-413.
- Carder, K.L., S.K. Hawes, K.A. Baker, R.C. Smith, R.G. Steward, and B.G. Mitchell, 1991:

References

- Reflectance model for quantifying Chlorophyll a in the presence of productivity degradation products. *J. Geophys. Res.*, **96** (C11), 599-611.
- Carder, K.L., W.W. Greg, D.K. Costello, K. Haddad, and J.M. Prospero, 1991: Determination of Saharan dust radiance and chlorophyll from CZCS imagery. *J. Geophys. Res.*, **96** (D3), 5369-5378.
- Cess, R., E. Dutton, J. DeLisi, and F. Jiang, 1991: Determining surface solar absorption from broadband satellite measurements for clear skies: Comparisons with surface measurements. *J. Climatology*, **4**, 236-247.
- Chaine, M.T., 1980: Infrared remote sensing of sea surface temperature. *Remote Sensing of Atmospheres and Oceans*, A. Deepak, Ed., Academic Press, New York, 411-434.
- Chamberlin, W.S. and J. Marra, 1992: Estimation of photosynthetic rate from measurements of natural fluorescence: Analysis of the effects of light and temperature. *Deep Sea Research*, **39**, 1695-1706.
- Chang, A.T.C., J.L. Foster, and D.K. Hall, 1987: Nimbus-7 derived global snow cover parameters. *Journal of Glaciology*, **9**.
- Chang, A.T.C., J.L. Foster, D.K. Hall, B.E. Goodison, A.E. Walker, J.R. Metcalfe, and A. Harby, in press: Snow parameters derived from MW measurements during the BOREAS winter field campaign, *JGR* (submitted).
- Charlock, T.P., F. Rose, S.-K Yang, T. Alberta, and G. Smith, 1993: An observation study of the interaction of clouds, radiation, and the general circulation. Proceedings of the IRS '92: Current Problems in Atmospheric Radiation. Tallinn (3-8 August 1992), A. Deepak Publishing, 151-154.
- Charlock, T.P. and T.L. Alberta, 1996: The CERES/ARM/GEWEX Experiment (CAGEX) for the retrieval of radiative fluxes with satellite data. *Bull. Amer. Meteor. Soc.*, submitted.
- Chicano, R.J. and R.S. Oremland, 1988: Biogeochemical aspects of atmospheric methane. *Global Biogeochemical Cycles*, **2**, 299-327.
- Chiu, L.S., 1988: Rain estimation from satellites: Areal rainfall-rain area relation. Third Conf. on Satellite Meteorology and Oceanography, Feb. 1-5, *Bull. Amer. Meteor. Soc.*, Anaheim, CA, 3663-368.
- Christian, H.J., R.J. Blakeslee, and S.J. Goodman, 1989: The detection of lightning from geostationary orbit. *J. Geophys. Res.*, **94** (13), 329-337.
- Christian, H.J., R.J. Blakeslee, and S.J. Goodman, 1992: Lightning Imaging Sensor (LIS) for the Earth Observing System, NASA Technical memorandum 4350, MSFC, Huntsville, AL.
- Churchill, D.D. and R.A. Houze, Jr., 1984: Development and structure of winter monsoon cloud clusters on 10 December 1978. *J. Atmos. Sci.*, **41**, 933-960.
- Cicerone, R.J. and R.S. Oremland, 1988: Biogeochemical aspects of atmospheric methane. *Global Biogeochemical Cycles*, **2**, 299-327.
- Coakley, J., R.D. Cess and F.B. Yurevich, 1983: The effect of tropospheric aerosol on the Earth's radiation budget: A parameterization for climate models. *J. Atmos. Sci.*, **40**, 116-138.
- Comb, D.G., 1990: Ice-out in Maine. *Nature*, **347**, 510.
- Crutzen, P.J., 1991: Methane's Sinks and Sources. *Nature*, **350**, 380-381.
- Culver, M.E. and M.J. Perry, 1994: Detection of phycoerythrin fluorescence in upwelling irradiance spectra. *EOS Trans. AGU*, **75**, 233.
- Daley, R., 1991: *Atmospheric Data Analysis*. Cambridge University Press, 457 pp.

References

- Deschamps, P. and T. Phulpin, 1980: Atmospheric correction of infrared measurements of sea surface temperature using channels at 3.7, 11, and 12 μ m. *Boundary Layer Met.*, **18**, 131-143.
- Deschamps, P.Y., M. Herman and D. Tanré, 1983: Modeling of the atmospheric effects and its application to the remote sensing of ocean color. *Appl. Opt.*, **33**, 7096-7116.
- Di Girolamo, L. and R. Davies, 1994: A Band-Differenced Angular Signature technique for cirrus cloud detection. *IEEE Trans. Geosci. Rem. Sens.* **32**, 890-896.
- Dickerson, R.R., G.J. Huffman, W.T. Luke, L.J. Nunnermacker, K.E. Pickering, A.C.D. Leslie, C.G. Lindsey, W.G.N. Slinn, T.J. Kelly, P.H. Daum, A.C. Delany, J.P. Greenberg, P.R. Zimmerman, J.F. Boatmen, J.D. Ray and D.H. Stedman, 1987: Thunderstorms: an important mechanism in the transport of air pollutants. *Science*, **235**, 460.
- Dickinson, R.E., 1987: Evapotranspiration in global climate models, *Advances in Space Research*, **7**, 17-26.
- Dickinson, R.E., B. Pinty, and M.M. Verstraete, 1990: Relating surface albedos in GCMs to remotely sensed data. *Agric. and Forest Meteor.* **52**, 109.
- Diner, D.J., C.J. Bruegge, J.V. Martonchik, G.W. Bothwell, E.D. Danielson, V.G. Ford, L.E. Hovland, K.L. Jones and M.L. White, 1991: A Multi-angle Imaging Spectroradiometer for terrestrial remote sensing from the Earth Observing System. *Internat. J. Imaging Sys. and Tech.*, **3**, 92-107.
- Drummond, J.R., 1992: Measurements of pollution in the troposphere (MOPITT). *The use of EOS for Studies of Atmospheric Physics*, J.C. Gille and G. Visconti, Eds., North Holland, Amsterdam, pp. 77-101.
- Ebert, E., 1987: A pattern recognition technique for distinguishing surface and cloud types in the polar regions. *J. Clim. Appl. Meteor.*, **26**, 1412-1427.
- Dozier, J., and Z. Wan, 1994: Development of practical multiband algorithms for estimating land-surface temperature from EOS-MODIS data. *Adv. Space Res.*, **13** (3), 81-90
- Earth Observing System: Science and Mission Requirements Working Group Report. NASA Technical Memorandum 86129.
- Edwards, T., R. Browning, J. Delderfield, D.J. Lee, K.A. Lidiard, R.S. Milborrow, P.H. McPherson, S.C. Peskett, G.M. Toplis, H.S. Taylor, I. Mason, G. Mason, A. Smith and S. Stringer, 1990. The Along Track Scanning Radiometer - Measurement of sea-surface temperature from ERS-1. *Journal of the British Interplanetary Society*, **43**, 160.
- Eppley, R.W., E. Stewart, M.R. Abbott, and U. Heyman, 1985: Estimating ocean primary production from satellite chlorophyll: Introduction to regional differences and statistics for the Southern California Bight. *J. Plank. Res.*, **7**, 57-70.
- Evans, R.H. and H.R. Gordon, 1994: CZCS 'System Calibration:' A retrospective examination. *J. Geophys. Res.*, **99C**, 7293-7307.
- Deschamps, P. and T. Phulpin, 1980: Atmospheric correction of infrared measurements of sea surface temperature using channels at 3.7, 11, and 12 μ m. *Boundary Layer Met.*, **18**, 131-143.
- Dozier, J., and Z. Wan, 1994: Development of practical multiband algorithms for estimating land-surface temperature from EOS-MODIS data. *Adv. Space Res.*, **13** (3), 81-90
- Earth Observing System: Science and Mission Requirements Working Group Report. NASA Technical Memorandum 86129.
- Evans, R.H. and H.R. Gordon, 1994: CZCS 'System Calibration:' A retrospective examination. *J. Geophys. Res.*, **99C**, 7293-7307.

References

- Ferraro, R.R., N.C. Grody, and G.F. Marks, 1994: Effects of surface conditions on rain identification using the SSM/I. *Remote Sens. Rev.*, **11**, 195-209.
- Field, C.B., J.T. Randerson, and C.M. Malstrom, 1995: Global net primary production: Combining ecology and remote sensing. *Remote Sensing of Environment*, **51**: 74-88.
- Fitzwater, S.E., G.A. Knauer, and J.H. Martin, 1982: Metal contamination and its effect on primary production measurements. *Limn. Oceanogr.*, **27**, 544-551.
- Foster, J.L., D.K. Hall, A.T.C. Chang, and A. Rango, 1984: An overview of passive MW snow research and results. *Reviews of Geophysics*, **22**.
- Foster, J.L. and A.T.C. Chang, 1993: Snow cover. *Atlas of Satellite Observations Related to Global Change*. R.J. Gurney, C.L. Parkinson and J.L. Foster, Eds., Cambridge University Press, Cambridge, 361-370.
- Frey, R.A., S.A. Ackerman and B.J. Soden, 1995: Climate parameters from satellite spectral measurements part I: collocated AVHRR and HIRS/2 observations of spectral greenhouse parameter. *J. Geophys. Res.*
- Fu, Q., and K. Liou, 1993: Parameterization of the radiative properties of cirrus clouds. *J. Atmos. Sci.*, **50**, 2008-2025.
- Fujita, M., K. Okamoto, S. Yoshikado, and K. Nakamura, 1985: Inference of rain rate profile and path-integrated rain rate by an airborne microwave rain scatterometer. *Radio Science*, **20**, 631-642.
- Furuhama, Y., Ihara, T., Fujita, M. Shinozuka, T., Nakamura, K. and J. Awaka, 1982: Propagation characteristics of millimeter and centimeter waves of ETS-II classified by rainfall types. *Annales des Telecom.*, **36**, 24-32.
- Gao, B.-C., A.F.H. Goetz, and W.J. Wiscombe, 1993: Cirrus cloud detection from airborne imaging spectrometer data using the 1.38 micron water vapor band. *Geophys. Res. Letter*, **4**, 301-304.
- Gao, B.-C. and A.F.H. Goetz, 1990: Column atmospheric water vapor and vegetation liquid water retrievals from airbourne imaging spectrometer data. *J. Geophys. Res.*, **95**, 3549-3564.
- Gao, B.-C., K.B. Heidebrecht, and A.F.H. Goetz, 1993: Derivation of scaled surface reflectances from AVIRIS data. *Rem. Sens. Environ.*, **44**, 165-178.
- Gillaspie, A.R., A.B. Kahle, and R.E. Walker, 1986: Color enhancement of highly correlated images. I. Decorrelation and HSI contrast stretches. *Rem. Sens. Environ.*, **20**, 209-235.
- Global Biomass Burning*. J.S. Levine, Ed., 1991 Cambridge, MA, The MIT Press.
- Goodman, A.H. and A. Henderson-Sellers, 1988: Cloud detection analysis: A review of recent progress. *Atm. Res.* **21**: 203.
- Gordon, H.R. and A.Y. Morel, 1983: *Remote Assessment of Ocean Color for Interpretation of Satellite Visible Imagery: A Review*, Springer-Verlag, New York, 114 pp.
- Gordon, H.R. and M. Wang, 1994: Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: A preliminary algorithm. *Appl. Opt.*, **33** (3): 473-483.
- Gordon, H.R., 1978: Removal of atmospheric affects from satellite imagery of the oceans. *Appl. Opt.*, **17**, 1631-1636.
- Gordon, H.R., 1987: Calibration requirements and methodology for remote sensors viewing the oceans in the visible. *Rem. Sens. Environ.*, **22**, 103-126.

References

- Gordon, H.R. and A.Y. Morel, 1983: Remote assessment of ocean color for interpretation of satellite visible imagery: A review. Springer .
- Gordon, H.R. and D.K. Clark, 1981: Clear water radiances for atmospheric correction of coastal zone color scanner imagery. *Appl. Opt.*, **26**, 2111-2112.
- Gordon, H.R., and D.K. Clark, 1981: Clear water radiances for atmospheric correction of coastal zone color scanner imagery. *Appl. Opt.*, **20**, 4175-4180.
- Gordon, H.R. and D.K. Clark, 1980: Atmospheric effects in the remote sensing of phytoplankton pigments. *Boundary Layer Meteor.*, **18**, 300-313.
- Gordon, H.R., D.K. Clark, J.L. Mueller, and W.A. Hovis, 1980: Phytoplankton pigments derived from the Nimbus-7 CZCS: Initial comparisons with surface measurements. *Science*, **210**, 63-66.
- Gordon, H.R., and A.Y. Morel, 1983: Remote assessment of ocean color for satellite visible imagery. Springer-Verlag, New York, 114 pp.
- Gordon, H.R. and M. Wang, 1994: Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: A preliminary algorithm. *Appl. Opt.*, **33**, 443-452.
- Gordon, H.R., O.B. Brown, R.H. Evans, J.W. Brown, R.C. Smith, K.S. Baker, and D.K. Clark, 1988: A Semi-Analytic Radiance Model of Ocean Color. *Geophys. Res.* **93D**, 10909-10924.
- Goward, S.N. and A.S. Hope., 1989: Evapotranspiration from combined reflected solar and emitted terrestrial radiation: Preliminary FIFE results from AVHRR data, *Adv. Space Res.*, **9** (7), 239-249.
- Gower, F.J.R. and G.A. Borstad, 1990: Mapping of phytoplankton by solar-stimulated fluorescence using an imaging spectrometer. *Internat. Remote Sensing*, **11**, 313-320.
- Goyet, C. and P.G. Brewer, 1993: Biochemical properties of the oceanic cycle. *Modeling Oceanic Climate Interactions*, J. Willebrand, Ed., NATO Advanced Study Institute, **III**, 271-297.
- Granier, C, J.F. Muller, S. Madronich, and G.P. Brasseur, 1995: Possible Causes for the 1990-1993 decrease in the global tropospheric CO abundance: a three-dimensional study. *Atmospheric Environment*, submitted.
- Green, R.N. and B.A. Wielicki, 1995: Convolution of imager cloud properties with CERES footprint point spread function (Subsystem 4.4). *Clouds and the Earth's Radiant Energy System (CERES) Algorithm Theoretical Basis Document, Volume III: Cloud Analyses and Radiance Inversions (Subsystem 4)*, NASA RP 1376, **3**, edited by CERES Science Team, 177-194.
- Green, R.N., B.A. Wielicki, J.A. Coakley, L.L. Stowe, and P.O'R. Hinton, 1995: CERES inversion to instantaneous TOA fluxes (Subsystem 4.5). "Clouds and the Earth's Radiant Energy System (CERES) Algorithm Theoretical Basis Document, Volume III: Cloud Analyses and Radiance Inversions (Subsystem 4)," NASA RP 1376 Vol. 3, edited by CERES Science Team, 195-206.
- Green, R.O., and J.E. Conel, Movement of water vapor in the atmosphere measured by an imaging spectrometer at Rogers Dry Lake, CA, Proc. Summaries of the Fifth Annual JPL Airborne Earth Science Workshop, *JPL Pub. 95-1*, **1**, 79–83, 1995.
- Gregg, W.W. and K.L. Carder, 1990: A simple solar irradiance model for cloudless maritime atmospheres. *Limn. Oceanog.*, **35** (8), 1657-1675.
- Grody, N.C., 1991: Classification of snow cover and precipitation using the Special Sensor

References

- Microwave/Imager (SSM/I), *J. Geophys. Res.*, **96**, 7423-7435.
- Grody, N.C. and A. Basist, 1996: Global identification of snow cover using SSM/I measurements, *IEEE Trans. Geosci. and Rem. Sens.*, **34**, 237-249.
- Groom, S.B. and P.M. Holligan, 1987: Remote sensing of coccolithophore blooms. *Proceedings of XXXVI COSPAR Meeting*, Toulouse, France.
- Guo, C. and E.P. Krider, 1982: The optical and radiation field signatures produced by lightning return strokes. *J. Geophys. Res.*, **87**, 8913.
- Gupta, S.K., W.L. Darnell, and A.C. Wilber, 1992: A parameterization for longwave surface radiation from satellite data: Recent improvements. *J. Appl. Meteor.* **31**, 1361-1367.
- Gustafson, G.B., R.G. Isaacs, R.P. d'Entremont, J.M. Sparrow, T.M. Hamill, C. Grassotti, D.W. Johnson, C.P. Sarkisian, D.C. Peduzzi, B.T. Pearson, V.D. Jakabhaazy, J.S. Belfiore and A.S. Lisa, 1994: Support of Environmental Requirements for Cloud Analysis and Archive (SERCAA): Algorithm descriptions. Phillips Laboratory Scientific Report No. 2, Hanscom Air Force Base, MA, 100 pp.
- Hall, D.K., G.A. Riggs, and V.V. Salomonson, 1995: Development of methods for mapping global snow cover using Moderate Resolution Imaging Spectroradiometer (MODIS) data. *Rem. Sens. Environ.*.
- Hansen, J., A. Lacis, R. Ruedy, M. Sato, and H. Wilson, 1993: How sensitive is the world's climate? *Research and Exploration*, **9**, 143-158.
- Harrison, E.F., D.R. Brooks, P. Minnis, B.A. Weilicki, W.F. Staylor, G.G. Gibson, D.F. Young, F.M. Denn, and the ERBE Science Team, 1988: First estimates of the diurnal variation of longwave radiation from the multiple-satellite Earth Radiation Budget Experiment (ERBE). *Bull. Amer. Meteor. Soc.* **69**, 1144-1151.
- Harrison, E.F., P. Minnis, B.R. Barkstrom, B.A., Weilicki, G.G. Gibson, F.M. Denn, and D.F. Young, 1990: Seasonal variation of the diurnal cycles of Earth's radiation budget determined from ERBE. *AMS 7th Conf. on Atmos. Radiation*, San Francisco, CA, July 23-27, pp. 87-91.
- Harrison, E.F., P. Minnis, B.R. Barkstrom, V. Ramanathan, R.D. Cess, and G.G. Gibson, 1990: Seasonal variation of cloud radiative forcing derived from the Earth Radiation Budget Experiment. *J. Geophys. Res.*, **95**, 18687-18703.
- Hayden, C.M., 1988: GOES-VAS simultaneous temperature-moisture retrieval algorithm. *J. Appl. Meteor.*, **27**, 705-733.
- Hilland, J.E., et al., 1985: Production of global sea surface temperature fields for the Jet Propulsion Laboratory Workshop Comparisons. *Geophys. Res.*, **90** (C6): 11,642-11,650.
- Hobish, M.K., Ardanuy, P.E., and V.V. Salomonson, 1994: Surface imaging technologies for NASA's earth observing system. *J. Imaging Science and Technology*, **38**, 301-310.
- Hoffman, L.H., W.L. Weaver, and J.F. Kibler, 1987: Calculation and accuracy of ERBE scanner measurement locations. *NASA Technical Paper*, **2670**.
- Hoge, F.E. and R.N. Swift, 1986: Chlorophyll pigment concentration using spectral curvature algorithms: An evaluation of present and proposed satellite ocean color sensor bands. *Appl. Opt.*, **25**, 3677-3682.
- Hoge, F.E. and R.N. Swift, 1990: Photosynthetic Accessory Pigments: Evidence for the Influence of Phycoerythrin on the Submarine Light Field. *Rem. Sens. Environ.*, **34**, 19-35.

References

- Holben, B.N., E. Vermote, Y.J. Kaufman, D. Tanré, and V. Kalb, 1992: Aerosol Retrieval over Land from AVHRR Data-Application for Atmospheric Correction. *IEEE Trans. Geosci. Rem. Sens.*, **30**, 212-222.
- Holligan, P.M., M.Viollier, D.S. Harbour, P. Camus and M. Champagne-Philippe, 1983: Satellite and ship studies of coccolithophore production along the continental shelf edge. *Nature*, **304**, 339-342.
- Holm-Hansen, O. and B. Riemann, 1978: Chlorophyll A determination: improvements in methodology. *Oikos*, **30**, 438-477.
- Holm-Hansen, O., C.J. Lorenzen, R.W. Holmes, and J.D.H. Strickland, 1965: Fluorometric determination of chlorophyll. *J. Cons. Int. Explor. Mer.*, **30**, 3-15.
- Hook, S.J., A.R. Gabell, A.A. Green, and P.S. Kealy, 1992: A comparison of techniques for extracting emissivity information from thermal infrared data for geological studies. *Remote Sens. Environ.*, **42**, 123-135.
- Houghton, J.T., Taylor, F.W., and C.D. Rodgers, 1984: *Remote Sounding of Atmospheres*. Cambridge University Press, Cambridge, UK, 343 pages.
- Houze, R.A. Jr., 1989: Observed structure of mesoscale convective systems and implications for large-scale heating. *Quart. J. Roy. Meteor. Soc.*, **115**, 425-461.
- Huete, A., C. Justice, and H. Liu, 1994: Development of vegetation and soil indices for MODIS-EOS. *Rem. Sens. Environ.*, **49**, 224-234.
- Huete, A.R., C.O. Justice, and H.Q. Liu, MODIS Vegetation Index. Algorithm Theoretical Basis Document (ATBD), 1994.
- Huffman, G.J., R.F. Adler, B. Rudolf. U. Schneider, P.R. Keehn, 1995: A technique for combining satellite data, raingauge analysis and model precipitation information into global precipitation estimates. *J. Climate*, **11** (5), 1284-1295.
- Iguchi, T. and R. Meneghini, 1994: Intercomparison of single frequency methods for retrieving a vertical rain profile from airborne or spaceborne data. *J. Atmos Oceanic Technol.* **11**, 1507-1516.
- Inamdar, A.K. and V. Ramanathan, 1994: Physics of greenhouse effect and convection in warm oceans. *J. Climate*, **7**, 715-731
- Inoue, T. 1987: An instantaneous delineation of convective rainfall areas using split window data of NOAA-7 AVHRR. *J. Meteor. Soc. of Japan*, **65**, 469-481.
- Intergovernmental Panel on Climate Change, 1992: *Scientific Assessment of Climate Change: 1992 IPCC Supplement*, Cambridge University Press, 24 pp.
- Iqbal, M., 1983: *An Introduction to Solar Radiation*. Academic Press.
- Irons, J.R., K.J. Ranson, D.L. Williams, R.R. Irish, and F.G. Huegel, 1991: An off-nadir pointing imaging spectroradiometer for terrestrial ecosystem studies. *IEEE Trans. Geosci. Rem. Sens.* **29**, 66-.
- Iverson, R.L., and W.E. Esaias, 1994: Global ocean phytoplankton production components determined using chlorophyll *a* data derived from CZCS imagery. Submitted to *J. Geophys. Res.*, March 9, 1994, 63 pp.
- Jarecke, P.J., M.A. Folkman, and L.A. Darnton, 1991: Radiometric calibration plan for the clouds and the Earth's radiant energy system instruments. *Proc. of SPIE*, **1493**, 244-254.
- Jedlovec, G.J., 1987: Determination of atmospheric moisture structure from high resolution MAMS radiance data. Ph.D. Thesis, University of Wisconsin - Madison.

References

- Justice C.O., J.P.Malingreau and A.Setzer 1993: Satellite remote sensing of fires: potential and limitation. Fire in the environment; its ecological, climatic and atmospheric chemical importance, P. Crutzen and J. Goldammer, Eds., John Wiley and Sons, Chichester.
- Kahle, A.B., 1986: Surface emittance, temperature, and thermal inertia derived from Thermal Infrared Multispectral Scanner (TIMS) data for Death Valley, California. *Geophysicas*, **52**(7), 858-874.
- Kalnay, E., R. Balgovind, W. Chao, D. Edelmann, J. Pfaffenrner, L. Takacs, and K. Takano, 1983: Documentation of the GLAS fourth order general circulation model - volume 1: Model Documentation . *NASA Tech Memo 86064*, Goddard Space Flight Center, 100 pp.
- Kaufman, Y.J., R.S. Fraser and R.L. Mahoney, 1991: Fossil fuel and biomass burning effect on climate-heating or cooling? *J. Climate*, **4**, 578-588.
- Kaufman, Y.J. and C. Sendra, 1988: Algorithm for automatic atmospheric corrections to visible and near-IR satellite imagery. *Internat. J. Rem. Sens.*, **9**, 1357-1381.
- Kaufman, Y.J. and L.A. Remer, 1994: Detection of forests using mid-IR Reflectance: An application for aerosol studies. *IEEE Trans. Geosci. Rem. Sens.*, **32**, 672-683.
- Kaufman, Y.J. and B.-C. Gao, 1992: Remote sensing of water vapor in the near IR from EOS/MODIS. *IEEE Trans. Geosci. Rem. Sens.*, **30**, 871-884.
- Kaufman, Y.J., D. Tanré, L. Remer, E. Vermote and B. N. Holben, Remote sensing of tropospheric aerosol from EOS-MODIS over the land using dark targets and dynamic aerosol models, submitted to *J. Geophys. Res.*, 1996.
- Kaufman, Y.M. and B.N. Holben, 1996: Hemispherical backscattering by biomass burning and sulfate particles derived from sky measurements. *J. Geophys. Res.*, in press.
- Kaufman, Y.J., C.J. Tucker, and I. Fung, 1990b: Remote sensing of biomass burning in the tropics. *J. Geophys. Res.*, **95** (D7):,9927-9939.
- Kaufmann Y.J., 1993: Measurements of the aerosol optical thickness and the path radiance - implications on aerosol remote sensing and atmospheric corrections. *J. Geophys. Res.*, **98**, 2677-2692.
- Keenan, T.D., G.J. Holland, M.J. Manton, and J. Simpson, 1988: TRMM ground truth in a monsoon environment: Darwin, Australia. *Aust. Meteor. Mag.*, **36**, 81-90
- Kiefer, D.A. and R.A. Reynolds, 1992: Advances in understanding phytoplankton fluorescence and photosynthesis. *Primary Productivity and Biogeochemical Cycles in the Sea*, P.G. Falkowski and A.D. Woodhead, Eds., Plenum, New York, 155-174.
- King, M.D., 1987: Determination of the scaled optical thickness of clouds from reflected solar radiation measurements. *J. Atmos. Sci.* , **44**, 1734-1751.
- King, M.D., Y.J. Kaufman, W.P. Menzel, and D. Tanré, 1992: Remote sensing of cloud, aerosol and water vapor properties from the Moderate Resolution Imaging Spectrometer (MODIS). *IEEE Trans. Geosci. Rem. Sens.*, **30**, 1-27.
- King, M.D., W.P. Menzel, P.S. Grant, J.S. Myers, G.T. Arnold, S.E. Platnick, L.E. Gumley, S.C. Tsay, C.C. Moeller, M. Fitzgerald, K.S. Brown and F.G. Osterwisch, Airborne scanning spectrometer for remote sensing of cloud, aerosol, water vapor and surface properties, *J. Atmos. Oceanic Technol.*, **13**, 777–794, 1996.
- Kleepsies, T.J. and L.M. McMillan, 1984: Physical retrieval of precipitable water using the split window technique. Preprints Conf. on Satellite

References

- Meteorology/Remote Sensing and Applications, AMS, Boston, 55-57.
- Kozu, T., K. Nakamura, R. Meneghini, and W.C. Boncyk, 1991: Dual-parameter radar rainfall measurement from space: A test result from an aircraft experiment. *IEEE Trans. Geosci. Rem. Sens.*, **29**, 690-703.
- Krajewski, W.F., 1987: Co-kriging of radar-rainfall and rain gage data. *J. Geophys. Res.*, **92** (D8), 9571-9580.
- Kummerow, C., and L. Giglio, 1994: A passive microwave technique for estimating rainfall and vertical structure information from space, Part I: Algorithm description. *J. Appl. Meteor.*, **33**, 3-18.
- Kyle, H.L., R.J. Curran, W.L. Barnes, and D. Escoe, 1978: A cloud physics radiometer. Third Conference on Atmospheric Radiation, Davis, CA, 107-109.
- Lambin, E.F. and A.H. Strahler, 1994: Change-vector analysis in multitemporal space: A tool to detect and categorize land-cover change processes using high temporal-resolution satellite data. *Rem. Sens. Environ.*, **48**, 231-244.
- Lambin, E.F. and A.H. Strahler, 1994: Indicators of land-cover change for change-vector analysis in multitemporal space at coarse spatial scales. *Internat. J. Remote Sens.*, **15**, 2099-2119.
- Lee III, R.B., B.R. Barkstrom, S.L. Carmen, J.E. Cooper, M.A. Folkman, P.J. Jarecke, L.P. Kopia, and B.R. Wielicki, 1993: The Clouds and Earth's radiant energy system (CERES) experiment, Earth Observing System (EOS) instrument and calibrations. Proc. of SPIE, **1939**, 67-71.
- Lee III, R.B., B.R. Barkstrom, G.L. Smith, J.E. Cooper, L.P. Kopia, and R.W. Lawrence, 1996: The Clouds and Earth's Radiant Energy System (CERES) sensors and preflight calibration plans. *J. Atmos. Oceanic Technology*, **12**, 300-313.
- Leith, H. and R.H. Wittaker, 1975: *Primary productivity of the biosphere*. Springer-Verlag, New York.
- Lewis, P. and M.J. Barnsley, 1994: Influence of the sky radiance distribution on various formulations of the Earth surface albedo, Proc. Sixth Intl. Symp. on Physical Measurements and Signatures in Remote Sensing, Val d'Isere, France, 17-21 January 1994.
- Li, X. and A.H. Strahler, 1986: Geometric-optical bidirectional reflectance modeling of a conifer forest canopy. *IEEE Trans. Geosci. Rem. Sens.*, **24**, 906-919.
- Li, X., A. H. Strahler and C. E. Woodcock, 1995: "A hybrid geometric optical-radiative transfer approach for modeling albedo and directional reflectance of discontinuous canopies," *IEEE Trans. Geosci. Rem. Sens.*, in press.
- Li, Z. and H. Leighton, 1993: Global climatologies of solar radiation budgets at the surface and in the atmosphere from 5 years of ERBE data. *J. Geophys. Res.*, **98**, 4919-4930.
- Li, Z., H.G. Leighton, K. Masuda, and T. Takashima, 1993: Estimation of SW flux absorbed at the surface from TOA reflected flux. *J. Climate*, **6**, 317-330.
- Liang, S. and A.H. Strahler, 1993: Retrieval of surface BRDF from multiangle remotely sensed data. *Rem. Sens. Environ.*, submitted.
- Liou, K.-N., 1992: *Radiation and Cloud Processes in the Atmosphere*, Oxford University Press, 487 pp.
- Liu, H.Q. and A.R. Huete, 1995: A feedback based modification of the NDVI to minimize soil and atmospheric noise. *IEEE Trans. Geosci. Rem. Sens.*, **33**, 457-465.
- Llewellyn-Jones, D.T., P.J. Minnett, R.W. Saunders and A.M. Zavodny, 1984: Satellite multichannel infrared measurements of sea surface temperature of the N.E. Atlantic Ocean using

References

- AVHRR/2. *Quart. J. R. Meteor. Soc.*, **110**, 613-631.
- Loeve, M., 1955: *Probability Theory*, D. van Nostrand Co., Princeton, N.J.
- Lorenzen, C.J., and S.W. Jeffrey, 1980: Determination of chlorophyll in sea water, UNESCO Tech. Paper. *Marine Science*, No. 35, 20 pp.
- Los, S.O., C.O. Justice, and C.J. Tucker, 1994: A global 1° by 1° NDVI data set for climate studies derived from the GIMMS continental NDVI data. *Internat. J. Remote Sensing*, **15**, 3493-3518.
- Ma, X.L., W.L. Smith, and H.M. Woolf, 1984: Total Ozone from NOAA satellites - a physical model for obtaining observations with high spatial resolution. *J. Climate Appl. Meteor.*, **23**, 1309-1314.
- Martonchik, J.V. and D.J. Diner, 1992: Retrieval of aerosol optical properties from multi-angle satellite imagery. *IEEE Trans. Geosci. Rem. Sens.*, **30**, 223-230.
- McClain, E.P., W.G. Pichel, C.C. Walton, 1985: Comparative performance of AVHRR-based multichannel sea surface temperatures. *J. Geophys. Res.*, **90** (C6), 11587-11601.
- McMillin, L.M., 1975: Estimation of sea surface temperature from two infrared window measurements with different absorption. *J. Geophys. Res.*, **90**, 11,587-11,600.
- Meneghini, R. and J.A. Jones, 1993: An approach to estimate areal rain-rate distribution from spaceborne radar by the use of multiple thresholds. *J. Appl. Meteor.* **32**, 386-398.
- Meneghini, R., and T. Kozu, 1990: *Spaceborne Weather Radar*, Artech House, Boston, Massachusetts, 197 pp.
- Minnett, P.J., 1991. Consequences of sea surface temperature variability on the validation and applications of satellite measurements. *J. Geophys. Res.*, **96**, 18,475-18,489.
- Minnett, P.J., 1995. Sea surface temperature measurements from the Along-Track Scanning Radiometer on ERS-1. In *Oceanographic Applications of Remote Sensing*, M. Ikeda and F. Dobson (eds.). CRC Press Inc., 131-143.
- Minnis, P. and E.F. Harrison, 1984: Diurnal variability of regional cloud and clear-sky radiative parameters derived from GOES data, Part III: November 1978 radiative parameters. *J. Climate Appl. Meteor.*, **23**, 1033-1051.
- Minnis, P., K.-N. Liou, and Y. Takano, 1993: Inference of cirrus cloud properties using satellite-observed visible and infrared radiances, Part I: Parameterization of radiance fields. *J. Atmos. Sci.*, **50**, 1279-1304.
- Minnis, P., D.P. Kratz, J.A. Coakley, Jr., M.D. King, R. Arduini, D.P. Garber, P.W. Heck, S. Mayor, W.L. Smith, Jr., and D.F. Young, 1995: Cloud optical property retrieval (Subsystem 4.3). *Clouds and the Earth's Radiant Energy System (CERES) Algorithm Theoretical Basis Document, Volume III: Cloud Analyses and Radiance Inversions (Subsystem 4)*, NASA RP 1376, **3**, CERES Science Team, Eds., 135-176.
- Monteith, J.L., 1972: Solar radiation and productivity in tropical ecosystems. *J. Appl. Ecology*, **9**, 747-766.
- Moody, A., S. Gopal, A.H. Strahler, J. Borak, P. Fisher, 1994: A combination of temporal thresholding and neural network methods for classifying multiscale remotely-sensed image data. Proc. 14th Int. Geosci. and Remote Sensing Symp., Pasadena, CA. Aug. 8-12, 1994: **4**, 1877-1879.
- Moody, A. and C. E. Woodcock, 1995: The influence of scale and the spatial characteristics of landscapes on land-cover mapping using remote sensing, *Landscape Ecology*, in press.

References

- MOPITT Algorithm Theoretical Basis Document: Conversion of MOPITT Digital Counts into Calibrated Radiances in Carbon Monoxide and Methane Absorption Bands (Level 0 to Level 1), MOPITT Science Team, 1995.
- MOPITT Algorithm Theoretical Basis Document: Retrieval of Carbon Monoxide Profiles and Column Amounts of Carbon Monoxide and Methane from MOPITT Radiances (Level 1 to Level 2), MOPITT Science Team, 1995.
- Morel, A., and J.M. Andre, 1991: Pigment distribution and primary production in the Western Mediterranean as derived and modeled from Coastal Zone Color Scanner observations. *J. Geophys. Res.*, **96**, 12,685-12,698.
- Mugnai, A., E.A. Smith, and G.J. Tripoli, 1993: Foundations for physical-statistical precipitation retrieval from passive microwave satellite measurements. Part II: Emission source and generalized weighting function properties of a time dependent cloud-radiation model. *J. Appl. Meteor.*, **32**, 17-39.
- Muller, J.F., and G.P. Brasseur, IMAGES: A three-dimensional chemical transport model of the global troposphere. to appear in *J. Geophys. Res.*, 1995.
- Nakajima, T., and M.D. King, 1990: Determination of optical thickness and effective particle radius of clouds from reflected solar radiation measurements- Part I: Theory. *J. Atmos. Sci.*, **47**, 1879-1892.
- Nakajima, T.Y. and T. Nakajima, 1994: Wide-area determination of cloud microphysical properties from NOAA AVHRR measurements for FIRE and ASTEX regions, *J. Atmos. Sci.*, in press.
- National Science and Technology Council, 1995: *Our Changing Planet: The FY 95 U.S. Global Change Research Program, Supplement to the President's FY 95 Budget, Coordination Office of the U.S. Global Change Research Program*, Washington, DC.
- Nemani, R. and S. W. Running, 1989: Estimation of regional surface resistance to evapotranspiration from NDVI and thermal-IR AVHRR data, *J. Appl. Meter.*, **28**, 276-284.
- Nemani, R.R., L.L. Pierce, S.W. Running, and L. Band, 1993: Forest ecosystem processes at the watershed scale: Sensitivity to remotely sensed leaf area index estimates. *Internat. J. Remote Sensing*, **14**, 2519-2534.
- Nemani, R.R., L.L. Pierce, S.W. Running, and S. Goward, 1993: Developing Satellite-derived Estimates of Surface Moisture Status. *J. Appl. Meter.*, **32** (3).
- Nemani, R.R. and S.W. Running, 1995: Satellite monitoring of global landcover changes and their impact on climate. *Climatic Change*, **31**: 395-413.
- Novelli, P.C., K.A. Masarie, P.P. Tans, P.M. Lang, 1994: Recent Changes in Atmospheric Carbon Monoxide. *Science*, **263**, 1587-1589.
- O'Neill, M.A. and I.J. Dowman, 1993: A simulation study of the ASTER sensor using versatile general purpose rigid sensor modeling systems. *Internat. J. Remote Sensing*, **14**, 565-585.
- Paltridge, G.W., and C.M.R. Platt, 1976: *Radiative Processes in Meteorology and Climatology*, Elsevier.
- Penner, J.E., R.E. Dickenson, C.A. O'Neill, 1992: Effects of aerosol from biomass burning on the global radiation budget. *Science*, **256**, 1432-1434.
- Pfaendtner, J., S. Bloom, D. Lamich, M. Seabloom, M. Sienkiewicz, J. Stobie, and A. da Silva, 1995: Documentation of the Goddard Earth Observing System (GEOS) Data Assimilation System - Version 1. *NASA Tech Memo*. 104606, Vol. 4, NASA, Goddard Space Flight Center, Greenbelt, MD, 44 pp.

References

- Platnick, S., P.A. Durkee, K. Nielson, J.P. Taylor, S.C. Tsay, M.D. King, R.J. Ferek and P.V. Hobbs, The role of background cloud microphysics in ship track formation, submitted to *J. Atmos. Sci.*, 1996.
- Platt, T.C., C. Caverhill, and S. Sathyendranath, 1991: Basin scale estimates of oceanic primary production by remote sensing: The North Atlantic. *J. Geophys. Res.*, **96** (15), 147-15, 149.
- Platt, T., S. Sathyendranath, 1988: Ocean primary production: Estimation by remote sensing at local and regional scales. *Science*, **241**, 1613-1620.
- Prabhakara, C., Conrath, B.J. and R.A. Hanel, 1970: Remote sensing of atmospheric ozone using the 9.6 micron band. *J. Atmos. Sci.*, **26**: 689-697.
- Prabhakara, C., et al., 1975: Estimation of sea surface temperature from remote sensing in the 11 and 13 μ m window region. *J. Geophys. Res.*, **79**, 5039-5044.
- Price, J.C., 1983: Estimating surface temperature from satellite thermal infrared data- a simple formulation for the atmospheric effect. *Rem. Sens. Environ.*, **13**, 353-361.
- Price, J.C., 1984: Land surface temperature measurements from the split window channels of the NOAA 7 Advanced Very High Resolution Radiometer. *J. Geophys. Res.*, **89**, 7231-7237.
- Prince, S.D., 1991: A model of regional primary production for use with coarse resolution satellite data, *Internat. J. Remote Sensing*, **12**, 1313-1330.
- Prince, S.D. and S.N. Goward, 1995: Global primary production: A remote sensing approach. *Journal of Biogeography*, **22**: 815-835.
- Ramanathan V., R.D. Cess, E.F. Harrison, P. Minnis, B.R. Barkstrom, E. Ahmad, and D. Hartmann, 1989b: Cloud-radiative forcing and climate: Results for the Earth Radiation Budget Experiment. *Science*, **243**, 57-63.
- Ramanathan, V., 1986: Scientific use of surface radiation budget for climate studies, In *Surface Radiation Budget for Climate Applications*, Edited by J.T. Suttles and G. Ohring, NASA RP-1169, Washington, DC, 58-86.
- Ramanathan, V., 1987: The role of Earth radiation budget studies in climate and general circulation research. *J. Geophys. Res.*, **92**, 4075-4095.
- Rao, C.R.N., E.P. McClain, and L.L. Stowe, 1989: Remote sensing of aerosols over the oceans using AVHRR data theory, practice and applications. *Internat. J. Remote Sens.*: **10**, 743-749.
- Rasmusson, E.M., 1985: El Nino and variations in climate. *American Scientist*, **73**, 168-178.
- Reichle, Jr., H.G., H.A. Wallio and B.E. Gormsen, 1989: Feasibility of determining the vertical profile of carbon monoxide from a space platform. *Appl. Opt.*, **28**, 2104-2110.
- Remer, L.A. and Y.J. Kaufman, 1996: The size distribution of ambient aerosol particles: smoke vs. urban industrial aerosol., AGU Chapman Conference on Biomass Burning, submitted.
- Remer, L.A., Y.J. Kaufman, and B.N. Holben, The size distribution of ambient aerosol particles: Smoke vs. urban/industrial aerosol, *Global Biomass Burning, in press*, The MIT press, Cambridge, MA, 1996.
- Robinson, J.M., 1991: Fire from space: Global fire evaluation using infrared remote sensing. *Internat. J. Remote Sensing*, **12** (1), 3-24.
- Rosenfeld, D., E. Amitai, and D.B. Wolff, 1995: Classification of rain regimes by the 3-

References

- dimensional properties of reflectivity fields. *J. Appl. Meteor.*, **34**, 198-211.
- Rosenfeld, D., D.B. Wolff, and E. Amitai, 1994: The window probability matching method for rainfall measurements with radar. *J. Appl. Meteor.*, **33**, 682-693.
- Rossow, W.B. and L.C. Garder, 1993: Cloud detection using satellite measurements of infrared and visible radiances for ISCCP. *J. Climate*, **6**, 2341-2369.
- Rothery, D.A., 1987: Decorrelation stretching as an aid to image interpretation. *Internat. J. Remote Sensing*, **8**, 1253-1254.
- Ruimy, A., B. Saugier, and G. Dedieu, 1994: Methodology for the estimation of terrestrial net primary production from remotely sensed data. *Journal of Geophysical Research*, **99(D3)**: 5263-5283
- Running, S.W., R.R. Nemani, D.L. Peterson, L.E. Band, D.F. Potts, L.L. Pierce, M.A. Spanner, 1989: Mapping regional forest evapotranspiration and photosynthesis by coupling satellite data with ecosystem simulation. *Ecology*, **70**, 1090-1101.
- Running, S.W., 1990: Estimating terrestrial primary productivity by combining remote sensing and ecosystem simulation. *Remote Sensing of Biosphere Functioning*, R. Hobbs and H. Mooney, Eds., New York: Springer-Verlag, 65-86.
- Running, S.W., C. Justice, V. Salmonson, D. Hall, J. Barker, Y. Kaufmann, A. Strahler, A. Huete, J-P. Muller, V. Vanderbilt, Z. Wan, P. Teillet, D. Carnegie, 1994: Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *Internat. J. Remote Sensing*, **15**, 3587-3620.
- Running, S.W., T.R. Loveland, L.L. Pierce, R.R. Nemani, and E.R. Hunt, 1995: A remote sensing based vegetation classification logic for global landcover analysis. *Remote Sensing of Environment*, **51**: 39-48
- Salisbury, J.W. and D.M. D'Aria, 1992: Emissivity of terrestrial materials in the 8-14 μm atmospheric window. *Rem. Sens. Environ.*, **42**, 83-106.
- Salomonson, V.V., D.K. Hall, and J.Y.L. Chien, 1995: Use of passive microwave and optical data for large-scale snow-cover mapping, Proceedings of the Second Topical Symposium on Combined Optical-Microwave Earth and Atmosphere Sensing, 3-6 April 1995, Atlanta, CA, 35-37.
- Sarmiento, J.L., J.R. Toggweiler and R. Najjar, 1988: Ocean carbon-cycle dynamics and atmospheric CO₂. *Phil. Trans. R. Soc. Lond. A*, **325**, 3-21.
- Saunders, R.W. and K.T. Kriebel, 1988: An improved method for detecting clear-sky and cloud radiances for AVHRR data. *Internat. J. Remote Sensing*, **9**, 123-150.
- Schlüssel, P., W.J. Emery, H. Grassl and T. Mammen, 1990. On the bulk-skin temperature difference and its impact on satellite remote sensing of sea surface temperatures. *J. Geophys. Res.*, **95**, 13,341-13,356.
- Schols, J.L. and J.A. Weinman, 1994: Retrieval of hydrometeor distributions over the ocean from airborne single-frequency radar and multi-frequency radiometric measurements. *Atmospheric Research*, **34**, 329-346.
- Schubert, S.D., C.-K. Park, C.-Y Wu, W. Higgins, Y. Kondratyeva, A. Molod, L. Takacs, M. Seabloom, and R. Rood, 1995: A multiyear assimilation with the GEOS-1 system: Overview and results. *NASA Tech. Memo. 104606*, Vol. 6, NASA, Goddard Space Flight Center, Greenbelt, MD, 207 pp.
- Schubert, S.D. and R.B. Rood, 1995: Proceedings of the workshop on the GEOS-1 Five year-assimilation,. *NASA Tech Memo 104606*, Vol. 7, Goddard Space Flight Center, 201 pp.

References

- Schubert, S.D., R.B. Rood, and J. Pfaendtner, 1993: An assimilated dataset for earth science applications. *Bull. Amer. Meteor. Soc.*, **74**, 2331-2342.
- Sellers, P.J., 1987: Canopy reflectance, photosynthesis and transpiration. *Internat. J. Remote Sensing*, **6**, 1335-1372.
- Sellers, P.J., F.G. Hall, H. Margolis, R. Kelly, D. Baldocchi, J. denHartog, J. Cihlar, M. Ryan, B. Goodison, P. Crill, J. Ranson, D. Lettermaier and D. Wickland, 1995 (in press): The Boreal Ecosystem-Atmosphere Study (BOREAS): an overview and early results from the 1994 field year. *Bull. Amer. Meteor. Soc.*
- Shapiro, M.A., Krueger, A.J., and P.J. Kennedy, 1982: Nowcasting the position and intensity of jet streams using a satellite borne total ozone mapping spectrometer. *Nowcasting*, K.A. Browning, Ed., Academic Press, Inc. London, 137-145.
- Sikes, S. and V. Fabry, 1994: Photosynthesis, CaCO₃ deposition, coccolithophorids and the global carbon cycle. in: *Photosynthetic Carbon Metabolism and Regulation of Atmospheric CO₂ and O₂*, N.E. Tolbert and J. Preiss, Eds., Oxford University Press, London.
- Simpson, J., Ed., 1988: TRMM: A Satellite Mission to Measure Tropical Rainfall, Report of the Science Steering Group, NASA Report.
- Simpson, J., C. Kummerow, W.-K. Tao, and R.F. Adler, 1996: On the Tropical Rainfall Measuring Mission (TRMM). *Meteorol. Atmos. Phys.* **60**, 19-36.
- Slater, P.N., S.F. Biggar, R.G. Holm, R.D. Jackson, Y. Mao, M.S. Moran, J.M. Palmer and B. Yuan, 1987: Reflectance- and radiance-based methods for the in-flight absolute calibration of multispectral sensors. *Rem. Sens. Environ.*, **22**, 11-37.
- Slater, P.N., S.F. Biggar, R.G. Holm, R.D. Jackson, Y. Mao, M.S. Moran, J.M. Palmer, and B. Yuan, 1987: Reflectance-based and radiance-based methods for the in-flight absolute calibration of multi-spectral sensors. *Rem. Sens. Environ.*, **22**, 11-37.
- Smith, A.H., R.W. Saunders and A.M. Zavody, 1994. The validation of ATSR using aircraft radiometer data over the Tropical Atlantic. *J. Atmos. and Oceanogr. Techn.*, 789-800.
- Smith, E.A., C Kummerow, and A. Mugnai: 1994: The emergence of inversion-type profile algorithms for estimation of precipitation from satellite passive microwave measurements. *Rem. Sens. Rev.*, **11**, 211-242.
- Smith, E.A., X. Xiang, A. Mugnai, and G.J. Tripoli, 1994: Design of an inversion-based precipitation profile retrieval algorithm using an explicit cloud model for initial guess microphysics. *Meteor. Atmos. Phys.*, **54**.
- Smith, G.L. and Bess, T.D., 1983: Sampling Errors in Regional Radiation Results Based on Satellite Radiation Measurements. Proceedings of the Ninth Conference on Aerospace and Aeronautical Meteorology, Omaha, NE, June 1983.
- Smith, G.L., R, N, Green, E. Raschke, L.M. Avis, J.T. Suttles, B.A. Wielicki, and R. Daview, 1986: Inversion methods for satellite studies of the Earth's radiation budget: Development of algorithms for the ERBE mission. *Rev. Geophys.*, **24**, 407-421.
- Smith, R.C. and K.S. Baker, 1982: Oceanic chlorophyll concentrations as determined by satellite (Nimbus-7 Coastal Zone Color Scanner). *Marine Biology*, **66**: 269-279.
- Smith, R.C. and K.S. Baker, 1977: The bio-optical state of ocean waters and remote sensing. Scripps Institution of Oceanography Ref. 77-2, 36 pp.

References

- Smith, R.C. and W.H. Wilson, 1981: Ship and satellite bio-optical research in the California Bight, in *Oceanography from Space*, J.F.R. Gower, Ed., Plenum, New York, pp. 281-294.
- Smith, W.L. and F.X. Zhou, 1982: Rapid extraction of layer relative humidity, geopotential thickness and atmospheric stability from satellite sounding radiometer data. *Appl. Opt.*, **21**, 924-928.
- Smith, W.L., Woolf, H.M., and A.J. Schreiner, 1985: Simultaneous retrieval of surface and atmospheric parameters: A physical and analytically direct approach. *Advances in Remote Sensing*, A. Deepak, H.E. Fleming and M.T. Chahine, Eds.
- Smith, W.L., R.O. Knuteson, H.E. Revercombe, W. Feltz, H.B. Howell, W.P. Menzel, N.R. Nalli, O.B. Brown, J. Brown, P.J. Minnett and W. McKeown, 1996. Observations of the infrared radiative properties of the ocean—implications for the measurement of sea-surface temperature via satellite remote sensing. *Bull. Am. Met. Soc.*, **77(1)**, 1996, 41-51.
- Snyder, W. and Z. Wan, 1996: "Surface temperature correction for active infrared reflectance measurements of natural materials," *Appl. Optics*, **35(13)**, 2216-2220.
- Sohn B.-J. and F.R. Robertson, 1993: Intercomparison of observed cloud radiative forcing: A zonal and global perspective. *Bull. Amer. Meteor. Soc.*, **74**, 997-1006.
- Stamnes, K., and P. Conklin, 1984: A new multi-layer discrete ordinate approach to radiative transfer in vertically inhomogeneous atmospheres. *J. Quant. Spectrosc. Radiat. Transfer*, **31**, 273-282.
- Steele, L.P., E.J. Dlugokencky, P.M. Lang, P.P. Tans, R.C. Martin, and K.A. Masarie, 1992: Slowing down of the global accumulation of atmospheric methane during the 1980s. *Nature*, **358**, 313-316.
- Steiner, M., and R.A. Houze, Jr., 1993: Three-dimensional validation at TRMM ground truth sites: Some early results from Darwin Australia. Preprints, 26th International Conference on Radar Meteorology, Norman, Oklahoma, Amer. Meteor. Soc, 417-420.
- Steiner, M., R.A. Houze, Jr., and S.E. Yuter, 1995: Climatological characterization of three-dimensional storm structure from operational radar and raingauge data. *J. Appl. Meteor.*, **34**, (in press).
- Stowe, L.L., E.P. McClain, R. Carey, P. Pellegrino, G. Gutman, P. Davis, C. Long, and S. Hart, 1991: Global distribution of cloud cover derived from NOAA/AVHRR operational satellite data. *Adv. Space Res.*, **11**, 51-54.
- Stowe, L., P. Ardanuy, R. Hucek, P. Abel, and H. Jacobowitz, 1993: Evaluating the design of an earth radiation budget instrument with system simulations. Part I: Instantaneous Estimates." *J. of Atmos. Oceanic Tech.*, Vol. 10, No. 6, Dec. 1993, Pp. 809-826.
- Strabala, K.I., S.A. Ackerman and W.P. Menzel, 1994: Cloud properties inferred from 8-12 micron data. *J. Appl. Meteor.*, **33**, 212-229.
- Strahler, A., A. Moody, and E. Lambin, 1995: Land cover and land-cover change from MODIS. *Proc. 15th Int. Geosci. and Remote Sensing Symp.*, Florence, Italy, July 10-14, 1995, vol. 2, pp. 1535-1537.
- Strong, A.E. and E.P. McClain, 1984: Improved ocean surface temperature from space-comparisons with drifting buoys. *Bull. Am. Meteor. Soc.*, **65** (2), 138-142.
- Sullivan, J. Gandin L., Gruber A., and W. Baker, 1993: Observation Error Statistics for NOAA-10 Temperature and Height Retrievals. *Mon. Wea. Rev.*, **121**, 2578-2587.
- Suttles, J.T., and G. Ohring, 1986: Surface radiation budget for climate applications. NASA RP-1169, Washington, DC, 136 pp.

References

- Suttles, J.T., B.A. Wielicki and S. Vemury, 1992: Top-of-atmosphere radiative fluxes: Validation of ERBE scanner inversion algorithm using Nimbus-7 ERB data. *J. Appl. Meteor.*, **31**, 784-796.
- Suttles, J.T., R.N. Green, P. Minnis, G.L. Smith, W.F. Staylor, B.A. Wielicki, I.J. Walker, D.F. Young, V.R. Taylor, and L.L. Stowe, 1988: Angular radiation models for Earth-atmosphere system, Part I: Shortwave radiation. NASA Reference Publication **1184**, Vol. I.
- Takacs, L.L., A. Molod, and T. Wang, 1994: Documentation of the Goddard Earth Observing System (GEOS) General Circulation Model—Version 1, *NASA Tech. Memo.* 104606, Vol. 1, NASA, Goddard Space Flight Center, Greenbelt, MD, 100 pp.
- Takano, Y., and K.N. Liou, 1989: Radiative transfer in cirrus clouds I: Single scattering and optical properties of oriented hexagonal ice crystals. *J. Atmos. Sci.*, **46**, 3-20.
- Tanré, D., Y.J. Kaufman, M. Herman and S. Mattoo Remote sensing of aerosol over oceans from EOS-MODIS, *J. Geophys. Res.*, in press, 1996.
- Tanré D., M. Herman, Y.J. Kaufman, Information on the aerosol size distribution contained in the solar reflected spectral radiances, *J. Geophys. Res.*, **101**, 19043-19060, in press, 1996.
- Taylor, M.M., 1973: Principal components color display of ERTS imagery. Third Earth Resources Technology Satellite-1 Symposium, 10-14 December, NASA SP-351, Vol. 1, Section B, 150-160.
- Theon, J.S., Ed., 1988: *Tropical Rainfall Measurements*, A. Deepack Publishing, 528 pp.
- Theon, J.S., T. Matsuno, T. Sakata, and N. Fugono, Eds., 1992: *The Global Role of Tropical Rainfall*. A. Deepak Publishing, 280 pp.
- Topliss, B.J., and T. Platt, 1986: Passive fluorescence and photosynthesis in the ocean: Implications for remote sensing. *Deep Sea Res.*, **33**, 849-864.
- Tovinkere, V.R., M. Penalosa, A. Logar, J. Lee, R.C. Weger, T.A. Berendes, and R.M. Welch, 1993: An intercomparison of artificial intelligence approaches for polar scene identification. *J. Geophys. Res.*, **98**, 5001-5106
- Townshend, J.R.G. and C.O. Justice, 1988: “Selecting the spatial resolution of satellite sensors required for global monitoring of land transformations.” *International Journal of Remote Sensing* **9**: 187-236.
- Townshend, J.R.G., C.O. Justice, W. Li, C. Gurney and J. McManus, 1991: “Global land cover classification by remote sensing: present capabilities and future possibilities.” *Remote Sensing of Environment* **35**: 243-256.
- Vermote, E., L.A. Remer, C.O. Justice, Y.J. Kaufman, and D. Tanré, 1995: Atmospheric Correction Algorithm: Spectral Reflectance/ Surface Leaving Radiance. Algorithm Theoretical Basis Document (ATBD), EOS ID #2015, MODIS Science Team.
- Vermote, E.F., N.Z. El Saleous, C.O. Justice, J.L. Kaufman, Y.J. Privette, L. Remer, J.C. Roger, and D. Tanré, 1996: Atmospheric correction of visible to middle infrared EOS-MODIS data over land surfaces: background, operational algorithm and validation. *Journ. of Geophys. Res.* accepted.
- Vorosmarty, C., A. Grace, B. Moore III, B. Choudhury, and C.J. Willmott, 1991: A strategy to study regional hydrology and terrestrial ecosystem processes using satellite remote sensing, ground-based data, and computer modeling. *Acta Astronautica*, **25**, 785-792.
- Walton, C.C., E.P. McClain and J.F. Sapper, 1990: Recent changes in satellite-based multi-channel

References

- sea surface temperature algorithms. Preprint, Marine Technology Society Meeting, MTS '90, Washington, DC, Sept. 1990.
- Wan, D. Teillet, and D. Carnegie, 1994: Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *Internat. J. Remote Sensing*, **15**, 3587-3620.
- Wan, Z. and J. Dozier, 1989: Land-surface temperature measurement from space physical principles and inverse modeling. *IEEE Trans. Geosci. Rem. Sens.*, **27** (3), 268-278.
- Wan, Z. and J. Dozier, 1996: "A generalized split-window algorithm for retrieving land-surface temperature from space," *IEEE Trans. Geosci. Remote Sens.*, **34**(4), 892-905.
- Wang, M. and H.R. Gordon, 1994: Estimating aerosol optical properties over the oceans with MISR: Some preliminary studies. *Appl. Opt.* **33**, 4042-4057.
- Wanner, W., X. Li, and A.H. Strahler, 1995: On the derivation of kernels for kernel-driven models of bidirectional reflectance. *J. Geophys. Res.*, **vol.**, 21077-21090.
- Wanner, W., A. Strahler, J.-P. Muller, M. Barnsley, P. Lewis, X. Li, and C. Barker Schaaf, 1995: Global mapping of bidirectional reflectance and albedo for the EOS MODIS project: The algorithm and the product. *Proc. 15th Int. Geosci. and Remote Sensing Symp.*, Florence, Italy, July 10-14, 1995, vol. 1, pp. 525-529.
- Weeks, W.F., 1981: Sea ice: the potential of remote sensing. *Oceanus*, **24**, 39-48.
- Welch, R. and H. Lang, 1994: ASTER as a source of global topographic data in the late 1990s. *Internat. Arch. Photogram. Rem. Sens.*, **30**, 222-224.
- Welch, R.M., S.K. Sengupta, and D.W. Chen, 1990: Cloud field classification based upon high spatial resolution textural features. 1. Gray level co-occurrence matrix approach. *J. Geophys Res.*, **93**, 12663-12681.
- Welch, R.M., K.S. Kuo and S.L. Sengupta, 1990: Cloud and surface textural features in polar regions. *IEEE Trans. Geosci. Rem. Sens.*, **28**, 520-528.
- Whitlock, C.H., T.P. Charlock, W.F. Staylor, R.T. Pinker, I. Laszlo, A. Ohmura, H. Gilgen, T. Konzelman, R.C. DiPasquale, C.D. Moats, S.R. LeCroy, and N.A. Ritchey, 1995: First global WCRP shortwave surface radiation budget dataset. *Bull. Amer. Meteor. Soc.*, **76**, 6, 905-922.
- Wielicki, B.A. and L. Parker, 1992: On the determination of cloud cover from satellite sensors: The effect of sensor spatial resolution. *J. Geophys. Res.* **97**, 12799-12823.
- Wielicki, B.A., R.D. Cess, M.D. King, D.A. Randall, and E.F. Harrison, 1995: Mission to Planet Earth: Role of Clouds and Radiation in Climate. *Bull. Amer. Meteor. Soc.*, **76**, 2125-2153.
- Wielicki, B.A., B.R. Barkstrom, E.F. Harrison, R.B. Lee III, G.L. Smith, and J.E. Cooper, 1996: Clouds and the Earth's Radiant Energy System (CERES): An Earth Observing System Experiment. *Bull. Amer. Meteor. Soc.*, **77**.
- Wilheit, T.T., A.T.C. Chang and L.S. Chiu, 1991: Retrieval of monthly rainfall indices from microwave radiometric measurements using probability distribution functions. *J. Atmos. and Oceanic Tech.*, **8**, 118-136.
- Wofsy, S.C., J.C. McConnell, and M.B. McElroy, 1972: Atmospheric CH₄, CO and CO₂. *J. Geophys. Res.*, **77**, 4477-4493.
- Wu, M., and L.-P. Chang, 1992: Longwave radiation budget parameters computed from ISCCP and HIRS2/MSU products. *J. Geophys. Res.*, **97** (10), 1083-10101.
- Wu, R.J.A. Weinman, and R.T. Chin, 1985: Determination of rainfall rates from GOES satellite images by a pattern recognition technique. *J. Atmos. Ocean Tech.*, **2**, 314-330.

References

Wylie, D.P., W.P. Menzel, H.M. Woolf and K.I. Strabala, 1994: Four Years of Global Cirrus Cloud Statistics Using HIRS. *J. Climate*, **7**, 1972-1986.

Yoder, J.A., C.R. McClain, G.C. Feldman, and W.E. Esaias, 1993: Annual cycles of phytoplankton chlorophyll concentrations in the global ocean, A satellite view. *Global Biogeochemical Cycles*, **7**, 181-193.

Yuter, S.E., and R.A. Houze, Jr. 1995: Three-dimensional kinematic and microphysical evolution of Florida cumulonimbus. Part II: Frequency distributions of vertical velocity, reflectivity and differential reflectivity. *Mon. Wea. Rev.*

Zander, R.P., Demoulin, D.H. Ehhalt, U. Schmidt, and C.P. Rinsland, 1989: Secular increase of the total vertical column abundance of carbon monoxide above central Europe since 1950. *J. Geophys. Res.*, **94**, 11021.